IMPORT HEALTH REQUIREMENTS OF MALAYSIA FOR BOVINE SEMEN EXPORTED FROM THE UNITED STATES

The semen must be accompanied by a U.S. Origin Health Certificate issued by a veterinarian authorized by the U.S. Department of Agriculture (USDA) and endorsed by a Veterinary Services (VS) veterinarian. The certificate shall contain the name and address of both the consignor and consignee and complete identification of the semen to be exported. Additional information shall include:

CERTIFICATION STATEMENTS

- 1. The semen is derived from a semen collection center which is under the supervision of a USDA Accredited Veterinarian.
- 2. The United States has been free of foot-and-mouth disease and rinderpest for the six (6) months immediately preceding the collection of semen and until the time of export.
- 3. The donor bulls have been resident in the semen collection center for at least six (6) months prior to the date of collection.
- 4. The semen collection center has been free of any clinical signs of enzootic bovine leukosis for the 12 months prior to the date of collection.
- 5. The donor bulls were negative to the following tests within 6 months prior to the semen collection date:
 - a. Tuberculosis intradermal caudal fold test
 - b. IBR serum neutralization test at 1:8 dilution IF POSITIVE negative virus isolation from semen for export (one passage in cell culture)
 - c. Bluetongue agar gel immunodiffusion test IF POSITIVE negative virus isolation from whole blood on the day of collection.
 - d. Brucellosis standard tube or standard plate test at 1:50 dilution, 2 tests at 6 month intervals with the last test conducted within 6 months of the semen collection date AND semen plasma agglutination test at 1:25 dilution
 - e. Leptospirosis microtiter agglutination test at 1:400 dilution, 2 tests at 6 month intervals with the last test conducted within 6 months of the semen collection date.
 - f. Vibriosis and trichomoniasis culture of preputial washings or swabs, 2 negative cultures at 6 month intervals with the last culture conducted within 6 months of the semen collection date.

OTHER NOTES: An import license issued by the Director General State Veterinary Director concerned permitting the import of such semen into the States/State of Peninsular Malaysia is required.

U.S. ORIGIN HEALTH CERTIFICATE FOR THE EXPORTATION OF BOVINE SEMEN TO MALAYSIA

Country of origin: United States

	of origion	n: .ccredited Vet	terinarian	:			
I.	Dono	r Animal and	Semen Id	lentification:			
Names of Donor Bulls		Breed	Age	Official Identi- fication	No. of Units	Dates of Collection	Collection Codes
II.	Origin	n of Semen:	_				
	Name and Address of the Consignor:						
III.		nation of the s		onsignor			
	Name and Address of Consignee:						
	Method of transport:						

IV. CERTIFICATION STATEMENTS

I, the undersigned accredited veterinarian authorized by the USDA, hereby certify that the above mentioned and identified bovine semen fulfills the following requirements and conditions:

- 1. The United States has been free of foot-and-mouth disease and rinderpest for the six (6) months immediately preceding the collection of semen and until the time of export.
- 2. The semen is derived from a semen collection center which is under the supervision of a USDA Accredited Veterinarian.
- 3. The donor bulls have been resident in the semen collection center for at least six (6) months prior to the date of collection.
- 4. The semen collection center has been free of any clinical signs of enzootic bovine leukosis for the 12 months prior to the date of collection.
- 5. The donor bulls were negative to the following tests within 6 months prior to the semen collection date:
 - a. Tuberculosis intradermal caudal fold test
 - b. IBR serum neutralization test at 1:8 dilution
- ** -if positive negative viral isolation from semen for export (one passage in cell culture)
 - c. Bluetongue agar gel immunodiffusion test

**

- if positive negative viral isolation from whole blood on the day of collection.
- d. Brucellosis standard tube or standard plate test at 1:50 dilution 2 tests at 6 month intervals with the last test conducted within 6 months of the semen collection date. AND
 - semen plasma agglutination test at 1:25 dilution
- e. Leptospirosis microtiter agglutination test at 1:400 dilution, 2 tests at 6 month intervals with the last test conducted within 6 months of the semen collection date.

Health Certificate No
(Valid Only if the USDA Veterinary
Seal Appears Over the Certificate #

Issuing Veterinarian	Federal Veterinarian (Valid only if USDA Veterinary Seal Appears over signature of endorsing Federal Veterinarian		
Name and Address of Issuing			
Accredited Veterinarian	Name of Federal Veterinarian		
	and date endorsed		
** delete if not applicable			

Vibriosis and trichomoniasis - culture of preputial washings or swabs, 2 negative cultures at 6 month intervals with the last culture conducted within 6 months of the

f.

semen collection date.